



**Medtronic**

# Midas Rex<sup>®</sup> Legend<sup>®</sup> Tool Catalog



# Legend® Attachments and Tools

*Legend® Standardization - Saves Time and Money*

The Midas Rex® Legend® system provides a platform for multiple surgical specialties. The system includes both pneumatic and electric powered components, as well as attachments and tools that fit all Midas Rex Legend motors – a variety for any specialty. The modular specialty attachments, chucks, and tools comprise a system built for almost any need.



Simplified logistics include one system for all high-speed users from one vendor with over 40 years of experience. Training needs are simplified with the innovative and intuitive system. A single versatile system reduces equipment in the operating room, allowing for faster room turnover and reduced cleaning time. Inventory standardization reduces operating costs with less inventory, fewer purchase orders, and less space required for products.

*Legendary performance with classic form and function*

# Midas Rex® Legend® Pneumatic System

The Midas Rex® Legend® Pneumatic motors provide exceptional ease of use and outstanding OR performance. The Legend Pneumatic System features the Legend Gold Motor, the Legend Gold Touch Motor, and the Legend Platinum Motor.



# Midas Rex® MR7 System

The Midas Rex® MR7 and MR7 Touch High-Speed Pneumatic Motors deliver the dynamic power and performance you expect, and then some. With innovative proprietary technology throughout the system, every component is carefully engineered and manufactured for maximum power with increased durability.

**Midas Rex® MR7** offers 20% more power and torque than the Midas Rex® Legend Gold®\*

**Midas Rex® MR7 Touch** offers 10% more power and 14% more torque than the Midas Rex® Legend Gold Touch®\*\*

\*Compared to Midas Rex Legend Gold® System

\*\*Compared to Midas Rex Legend Gold® Touch

*The Midas Rex® MR7, the Legend® Pneumatic and Legend EHS® systems use a standardized array of Legend Series tools and attachments on all motor units*



# Midas Rex® Legend® Electric System

Inspired by listening to your needs, the IPC™ platform delivers maximum torque and ease of use. It's the first multispecialty powered surgery console from Medtronic for cranial, spine, and ENT. Our innovative IPC system drives more handpieces with more power than ever before.

# Attachments

*A variety of shapes and sizes to fit almost any need*

## Easy to identify, easy to use

- Ergonomically designed and textured for grip and control
- All 52 standard and specialty Legend attachments fit every Legend motor
- Most comprehensive attachment offering available
- Large, easily read markings identify matching attachments and tools
- Bold color coding identifies matching attachments and tools

Straight Attachment




Angled Attachment



Tool identifier number  
and color

Tool package insert



## Quick Release

*Simple, 3-step quick-release system for all standard and specialty attachments*

### 1 Snap onto motor



Slide attachment over motor collet while aligning triangular markers on attachment and motor case. A tactile and audible click indicates when the attachment is fully seated.

### 2 Click in tool



Insert dissecting tool into attachment until a tactile and audible click indicates that the dissecting tool is fully seated.

### 3 Twist to lock



Rotate attachment to the lock (🔒) position indicated by the closed padlock symbol on the motor case. Check to ensure the attachment alignment triangle is aligned with the closed padlock to ensure the attachment is secure. Gently tug on the dissecting tool to confirm it is secure.

# Small Bore Attachments

ACCOMMODATES LEGEND® 2.4 mm DIAMETER TOOLS

These attachments are used in various procedures for better visibility in small surgical sites. All Legend® attachments and tools utilize a patented 3-step locking process for increased ease of use and efficiency in the OR.



\*Indicates increased tool exposure by 5.0 mm

# Large Bore Attachments

ACCOMMODATES LEGEND® 3.2 mm DIAMETER TOOLS

These attachments contain the most complete line of tool shapes and sizes in the Legend line. The large bore attachments can accommodate a large number of clinical specialties. The Legend® System large bore straight and angled attachments are designed to be used with the larger 3.2 mm shaft tools.



\*Indicates increased tool exposure by 5.0 mm

## Small Bore Variable Exposure Attachments

Variable exposure attachments allow you to vary dissecting tool exposure for optimal visibility. There is no need to touch the end of the dissecting tool, and they are adjustable up to 12 mm in 1 mm increments. Compatible with Midas Rex® Legend® tools and motors.



## Large Bore Variable Exposure Attachments

## Telescoping Attachments

The Legend® system telescoping attachments offer a range of straight, angled, and curved tubes that improve operative site visualization and help protect surrounding soft tissues.




## Footed Attachments

Also referred to as craniotome attachments, footed attachments are used in cranial and spinal procedures. The footed attachments allow the surgeon to protect soft tissue when cutting through bone.



## Contra Angled Attachment

The contra angled attachment is designed for limited access right-angled applications.



## Perforator Driver and Jacobs® Chuck

The Perforator Driver is used to drive perforator bits with a Hudson shank, while the non-cannulated Jacobs Chuck drives pins and wires.



## Metal Cutting Attachment

This attachment can accommodate tungsten carbide or diamond tools for the trans-section of metal.



# Tool Offerings Listed by Attachment

Tools

## AF01 Footed Attachment AF01R Footed Attachment - Rotating

Tapered - 1.5 mm	F1/8TA15
Tapered Spiral - 1.5 mm	F1/8TA15S

## AF02 Footed Attachment AF02R Footed Attachment - Rotating

Tapered - 23 mm	F2/8TA23
Tapered Spiral - 2.3 mm	F2/8TA23S

## AF03 Footed Attachment

Tapered - 3.2 mm	F3/9TA30
------------------	----------

## AS07 Straight Attachment 7 cm - Small Bore AA07 Angled Attachment 7 cm - Small Bore AVS07 Straight Variable Attachment 7 cm - Small Bore AVA07 Angled Variable Attachment 7 cm - Small Bore

Acorn MedNext® - 6.0 mm	7AC60-MN
Ball - 0.5 mm	7BA05
Ball - 1 mm	7BA10
Ball - 1.5 mm	7BA15
Ball - 2 mm	7BA20
Ball - 2.5 mm	7BA25
Ball - 3 mm	7BA30
Ball - 4 mm	7BA40
Ball - 5 mm	7BA50
Ball - 6 mm	7BA60
Ball MedNext - 0.5 mm	7BA05-MN
Ball MedNext - 1 mm	7BA10-MN
Ball MedNext - 1.5 mm	7BA15-MN
Ball MedNext - 2 mm	7BA20-MN
Ball MedNext - 2.5 mm	7BA25-MN
Ball MedNext - 3 mm	7BA30-MN
Ball MedNext - 4 mm	7BA40-MN
Ball MedNext - 5 mm	7BA50-MN
Ball MedNext - 6 mm	7BA60-MN
Ball MedNext - 7 mm	7BA70-MN
Ball MedNext - 8 mm	7BA80-MN
Ball MedNext Long - 0.5 mm	7BA05L-MN
Ball MedNext Long - 1 mm	7BA10L-MN
Ball MedNext Long - 2 mm	7BA20L-MN
Ball MedNext Long - 3 mm	7BA30L-MN
Ball MedNext Fine - 4 mm	7BA40F-MN
Ball MedNext Fine - 5 mm	7BA50F-MN
Ball MedNext Fine - 6 mm	7BA60F-MN
Ball MedNext Carbide - 1mm	7BA10C-MN
Ball MedNext Carbide - 2mm	7BA20C-MN
Ball MedNext Carbide - 3mm	7BA30C-MN
Ball MedNext Carbide - 4mm	7BA40C-MN
Ball MedNext Carbide - 5mm	7BA50C-MN
Ball MedNext Carbide - 6mm	7BA60C-MN
Ball MedNext Carbide - 7mm	7BA70C-MN
Ball MedNext Carbide - 8mm	7BA80C-MN
Ball Diamond - 1 mm	7BA10D
Ball Diamond - 1.5 mm	7BA15D
Ball Diamond - 2 mm	7BA20D
Ball Diamond - 2.5 mm	7BA25D

Ball Diamond - 3 mm	7BA30D
Ball Diamond - 4 mm	7BA40D
Ball Diamond - 5 mm	7BA50D
Ball Diamond - 6 mm	7BA60D
Ball Diamond MedNext - 1 mm	7BA10D-MN
Ball Diamond MedNext - 1.5 mm	7BA15D-MN
Ball Diamond MedNext - 2 mm	7BA20D-MN
Ball Diamond MedNext - 2.5 mm	7BA25D-MN
Ball Diamond MedNext - 3 mm	7BA30D-MN
Ball Diamond MedNext - 4 mm	7BA40D-MN
Ball Diamond MedNext - 5 mm	7BA50D-MN
Ball Diamond MedNext - 6 mm	7BA60D-MN
Ball Diamond MedNext - 7 mm	7BA70D-MN
Ball Diamond MedNext - 8 mm	7BA80D-MN
Ball Diamond MedNext Long - 1 mm	7BA10DL-MN
Ball Diamond MedNext Long - 1.5 mm	7BA15DL-MN
Ball Diamond MedNext Long - 2 mm	7BA20DL-MN
Ball Diamond MedNext Long - 3 mm	7BA30DL-MN
Ball Diamond Coarse MedNext - 2 mm	7BA20DC-MN
Ball Diamond Coarse MedNext - 3 mm	7BA30DC-MN
Ball Diamond Coarse MedNext - 4 mm	7BA40DC-MN
Ball Diamond Coarse MedNext - 5 mm	7BA50DC-MN
Ball Diamond Coarse MedNext - 6 mm	7BA60DC-MN

## AS08 Straight Attachment 8 cm - Small Bore AVS08 Straight Variable Attachment 8 cm - Small Bore

Acorn - 5 mm	8AC50
Acorn - 6 mm	8AC60
Match Head - 1.7 mm	8MH17
Match Head - 2.2 mm	8MH22
Match Head Diamond - 1.7 mm	8MH17D
Match Head Diamond - 2.2 mm	8MH22D
Tapered - 1.1 mm	8TA11
Tapered - 1.7 mm	8TA17
Tapered Footed - 1.5 mm	F1/8TA15
Tapered Footed Spiral - 1.5 mm	F1/8TA15S
Tapered Footed - 2.3 mm	F1/8TA23
Tapered Footed Spiral - 2.3 mm	F1/8TA23S
Twist Drill - 0.8 mm, 4 mm Depth	8TD084
Twist Drill - 1 mm, 4 mm Depth	8TD104
Twist Drill - 1.1 mm, 4 mm Depth	8TD114
Twist Drill - 1.1 mm, 6 mm Depth	8TD116
Twist Drill - 1.2 mm, 4 mm Depth	8TD124
Twist Drill - 1.2 mm, 6 mm Depth	8TD126
Twist Drill - 1.3 mm, 4 mm Depth	8TD134
Twist Drill - 1.3 mm, 6 mm Depth	8TD136
Twist Drill - 1.5 mm, 4 mm Depth	8TD154
Twist Drill - 1.5 mm, 6 mm Depth	8TD156
Twist Drill - 1.5 mm, 8 mm Depth	8TD158
Twist Drill - 1.7 mm, 4 mm Depth	8TD174
Twist Drill - 1.7 mm, 6 mm Depth	8TD176
Twist Drill - 1.7 mm, 8 mm Depth	8TD178
Twist Drill - 2 mm, 4 mm Depth	8TD204
Twist Drill - 2 mm, 6 mm Depth	8TD206
Twist Drill - 2 mm, 8 mm Depth	8TD208



**AS09** Straight Attachment 9 cm - Large Bore  
**AS09S** Straight Short Attachment 9 cm - Large Bore  
**AA09S** Angled Short Attachment 9 cm - Large Bore  
**AVS09** Straight Variable Attachment 9 cm - Large Bore  
**AVA09** Angled Variable Attachment 9 cm - Large Bore

Acorn - 5 mm	9AC50
Acorn - 6 mm	9AC60
Acorn - 7.5 mm	9AC75
Acorn - 9 mm	9AC90
Ball - 3 mm	9BA30
Ball - 4 mm	9BA40
Ball - 5 mm	9BA50
Ball - 6 mm	9BA60
Ball - 7.5 mm	9BA75
Ball - 9 mm	9BA90
Ball Diamond - 3 mm	9BA30D
Ball Diamond - 4 mm	9BA40D
Ball Diamond - 5 mm	9BA50D
Ball Diamond - 6 mm	9BA60D
Ball Diamond - 7.5 mm	9BA75D
Ball Diamond Coarse - 3 mm	9BA30DC
Ball Diamond Coarse - 4 mm	9BA40DC
Ball Diamond Coarse - 5 mm	9BA50DC
Ball Diamond Coarse - 6 mm	9BA60DC
Ball Diamond Extra Coarse - 4 mm	9BA40DX
Ball Diamond Extra Coarse - 5 mm	9BA50DX
Ball Diamond Extra Coarse - 6 mm	9BA60DX
Cylinder - 5 mm	9CY50
Cylinder - 6 mm	9CY60
Cylinder - 7.5 mm	9CY75
Hole Maker - 9.5 mm	9HM95
Hole Maker - 10 mm	9HM100
Hole Maker - 12.6 mm	9HM126
Hole Saw - 10.8 mm ID	9HS108
Hole Saw - 13.5 mm ID	9HS135
Match Head - 3 mm	9MH30
Match Head Diamond - 3 mm	9MH30D
Match Head Diamond Coarse - 3 mm	9MH30DC
Oval - 5.5 mm	9OV55
Tapered - 3 mm	9TA30
Tapered Footed - 3.2 mm	F3/9TA30

**AS10** Straight Attachment 10 cm - Small Bore  
**AS10S** Straight Short Attachment 10 cm - Small Bore  
**AA10** Angled Attachment 10 cm - Small Bore  
**AA10S** Angled Short Attachment 10 cm - Small Bore  
**AVS10** Straight Variable Attachment 10 cm - Small Bore  
**AVA10** Angled Variable Attachment 10 cm - Small Bore

Acorn - 5 mm	10AC50
Acorn - 6 mm	10AC60
Ball - 1 mm	10BA10
Ball - 2 mm	10BA20
Ball - 3 mm	10BA30
Ball - 4 mm	10BA40
Ball - 5 mm	10BA50
Ball - 6 mm	10BA60
Ball MedNext - 1 mm	10BA10-MN
Ball MedNext - 2 mm	10BA20-MN
Ball MedNext - 3 mm	10BA30-MN

Ball MedNext - 4 mm	10BA40-MN
Ball MedNext - 5 mm	10BA50-MN
Ball MedNext - 6 mm	10BA60-MN
Ball Diamond - 1 mm	10BA10D
Ball Diamond - 2 mm	10BA20D
Ball Diamond - 3 mm	10BA30D
Ball Diamond - 4 mm	10BA40D
Ball Diamond - 5 mm	10BA50D
Ball Diamond - 6 mm	10BA60D
Ball Diamond Coarse - 3 mm	10BA30DC
Ball Diamond Coarse - 4 mm	10BA40DC
Ball Diamond Coarse - 5 mm	10BA50DC
Ball Diamond Extra Coarse - 4 mm	10BA40DX
Ball Diamond Extra Coarse - 5 mm	10BA50DX
Ball Diamond Extra Coarse - 6 mm	10BA60DX
Ball Diamond MedNext - 1 mm	10BA10D-MN
Ball Diamond MedNext - 2 mm	10BA20D-MN
Ball Diamond MedNext - 3 mm	10BA30D-MN
Ball Diamond MedNext - 4 mm	10BA40D-MN
Ball Diamond MedNext - 5 mm	10BA50D-MN
Ball Diamond MedNext - 6 mm	10BA60D-MN
Cylinder - 4 mm	10CY40
Cylinder Barrel - 4 mm	10CY40BR
Cylinder - 5 mm	10CY50
Cylinder Barrel - 5 mm	10CY50BR
Cylinder - 6 mm	10CY60
Cylinder Barrel - 6 mm	10CY60BR
Cylinder Long - 5 mm	10CY50L
Cylinder Diamond Extra Coarse - 5 mm	10CY65DX
Match Head - 1.7 mm	10MH17
Match Head - 2.2 mm	10MH22
Match Head - 3 mm	10MH30
Match Head Long - 3 mm	10MH30L
Match Head MedNext - 3 mm	10MH30-MN
Match Head Diamond - 1.7 mm	10MH17D
Match Head Diamond - 2.2 mm	10MH22D
Match Head Diamond MedNext - 3 mm	10MH30D-MN
Match Head Diamond Coarse - 3 mm	10MH30DC
Oval - 4 mm	10OV40
Tapered - 2.3 mm	10TA23

**AS12S** Straight Short Attachment 12 cm - Small Bore  
**AVS12** Straight Variable Attachment 12 cm - Small Bore  
**AVA12** Angled Variable Attachment 12 cm - Small Bore

Ball - 3 mm	12BA30
Ball - 4 mm	12BA40
Ball - 5 mm	12BA50
Ball - 6 mm	12BA60
Ball Diamond - 3 mm	12BA30D
Ball Diamond - 4 mm	12BA40D
Ball Diamond - 5 mm	12BA50D
Ball Diamond - 6 mm	12BA60D
Ball Diamond Extra Coarse - 4 mm	12BA40DX
Ball Diamond Extra Coarse - 6 mm	12BA60DX
Match Head - 2.2 mm	12MH22
Match Head - 3 mm	12MH30
Match Head Diamond - 3 mm	12MH30D

# Tool Offerings Listed by Attachment *(Continued)*

Tools

AS14	Straight Attachment 14 cm - Large Bore	
AS14S	Straight Short Attachment 14 cm - Large Bore	
AA14	Angled Attachment 14 cm - Large Bore	
AA14S	Angled Short Attachment 14 cm - Large Bore	
AVS14	Straight Variable Attachment 14 cm - Large Bore	
AVA14	Angled Variable Attachment 14 cm - Large Bore	
Acorn - 5 mm	14AC50	
Acorn - 6 mm	14AC60	
Acorn - 7.5 mm	14AC75	
Acorn - 9 mm	14AC90	
Ball - 2 mm	14BA20	
Ball - 2.5 mm	14BA25	
Ball - 3 mm	14BA30	
Ball - 4 mm	14BA40	
Ball - 5 mm	14BA50	
Ball - 6 mm	14BA60	
Ball - 7.5 mm	14BA75	
Ball - 9 mm	14BA90	
Ball Diamond - 2.5 mm	14BA25D	
Ball Diamond - 3 mm	14BA30D	
Ball Diamond - 4 mm	14BA40D	
Ball Diamond - 5 mm	14BA50D	
Ball Diamond - 6 mm	14BA60D	
Ball Diamond - 7.5 mm	14BA75D	
Ball Diamond Coarse - 3 mm	14BA30DC	
Ball Diamond Coarse - 4 mm	14BA40DC	
Ball Diamond Coarse - 5 mm	14BA50DC	
Ball Diamond Coarse - 6 mm	14BA60DC	
Ball Diamond Extra Coarse - 4 mm	14BA40DX	
Ball Diamond Extra Coarse - 5 mm	14BA50DX	
Ball Diamond Extra Coarse - 6 mm	14BA60DX	
Ball Diamond Extra Coarse - 7 mm	14BA70DX	
Ball Diamond Extra Coarse - 8 mm	14BA80DX	
Cylinder - 5 mm	14CY50	
Cylinder - 6 mm	14CY60	
Cylinder - 7.5 mm	14CY75	
Cylinder - 9 mm	14CY90	
Cylinder Blunt - 5 mm	14CY50B	
Cylinder Long - 5 mm	14CY50L	
Cylinder Long - 7.6 mm	14CY76L	
Cylinder Diamond Extra Coarse - 6.5 mm	14CY65DX	
Hole Maker - 9.5 mm	14HM95	
Hole Maker - 12.6 mm	14HM126	
Match Head - 3 mm	14MH30	
Match Head Diamond - 3 mm	14MH30D	
Match Head Diamond Coarse - 3 mm	14MH30DC	
Oval - 5.5 mm	14OV55	
Reverse Tapered - 6.4 mm	14RT64	
Tapered - 3 mm	14TA30	
Tapered - 3.1 mm	14TA31	

AS15	Straight Attachment 15 cm - Small Bore	
AA15	Angled Attachment 15 cm - Small Bore	
AVS15	Straight Variable Attachment 15 cm - Small Bore	
AVA15	Angled Variable Attachment 15 cm - Small Bore	
Acorn - 5 mm	15AC50	
Acorn - 6 mm	15AC60	
Ball - 4 mm	15BA40	

Ball - 5 mm	15BA50
Ball - 6 mm	15BA60
Ball Diamond - 4 mm	15BA40D
Ball Diamond - 5 mm	15BA50D
Ball Diamond - 6 mm	15BA60D
Ball Diamond Extra Coarse - 4 mm	15BA40DX
Cylinder - 5 mm	15CY50
Cylinder - 6 mm	15CY60
Cylinder Long - 5 mm	15CY50L
Cylinder Diamond Extra Coarse - 6.5 mm	15CY65DX
Match Head - 1.7 mm	15MH17
Match Head - 2.2 mm	15MH22
Match Head Diamond - 1.7 mm	15MH17D
Match Head Diamond - 3 mm	15MH30D
Tapered - 2.3 mm	15TA23
Tapered Long - 2.3 mm	15TA23L

AS21	Straight Attachment 21 cm - Large Bore	
Acorn - 6 mm	21AC60	
Acorn - 7.5 mm	21AC75	
Acorn - 9 mm	21AC90	
Ball - 5 mm	21BA50	
Ball - 6 mm	21BA60	
Ball - 7.5 mm	21BA75	
Ball - 9 mm	21BA90	
Ball Diamond Extra Coarse - 5 mm	21BA50DX	
Ball Diamond Extra Coarse - 7 mm	21BA70DX	
Cylinder - 9 mm	21CY90	
Cylinder Diamond Extra Coarse - 6.5 mm	21CY65DX	
Match Head - 3 mm	21MH30	
Tapered - 3 mm	21TA30	

AS26	Straight Attachment 26 cm - Large Bore	
Acorn - 6 mm	26AC60	
Acorn - 7.5 mm	26AC75	
Acorn - 9 mm	26AC90	
Ball - 4 mm	26BA40	
Ball - 6 mm	26BA60	
Ball - 7.5 mm	26BA75	
Ball - 9 mm	26BA90	
Ball Diamond - 4 mm	26BA40D	
Ball Diamond Extra Coarse - 5 mm	26BA50DX	
Ball Diamond Extra Coarse - 7 mm	26BA70DX	
Cylinder - 7.5 mm	26CY75	
Cylinder - 9 mm	26CY90	
Match Head - 3 mm	26MH30	
Tapered - 3 mm	26TA30	

AT10	TELESCOPING BASE
Curved Bur 9 cm Ball - 1 mm	CB09BA10
Curved Bur 9 cm Ball - 2 mm	CB09BA20
Curved Bur 9 cm Ball - 3 mm	CB09BA30
Curved Bur 9 cm Ball - 4 mm	CB09BA40
Curved Bur 9 cm Ball Diamond - 1 mm	CB09BA10D
Curved Bur 9 cm Ball Diamond - 2 mm	CB09BA20D
Curved Bur 9 cm Ball Diamond - 3 mm	CB09BA30D
Curved Bur 9 cm Ball Diamond - 4 mm	CB09BA40D
Curved Bur 11 cm Ball - 1 mm	CB11BA10
Curved Bur 11 cm Ball - 2 mm	CB11BA20
Curved Bur 11 cm Ball - 3 mm	CB11BA30
Curved Bur 11 cm Ball - 4 mm	CB11BA40
Curved Bur 11 cm Ball Diamond - 1 mm	CB11BA10D
Curved Bur 11 cm Ball Diamond - 2 mm	CB11BA20D
Curved Bur 11 cm Ball Diamond - 3 mm	CB11BA30D
Curved Bur 11 cm Ball Diamond - 4 mm	CB11BA40D

TT9	Telescoping Tube 9 cm Straight
TT9C	Telescoping Tube 9 cm Curved
Match Head - 1.5 mm	T9MH15
Match Head - 2 mm	T9MH20
Match Head - 2.5 mm	T9MH25
Match Head Diamond - 2.5 mm	T9MH25D
Match Head Diamond - 3 mm	T9MH30D
Match Head Diamond - 3.5 mm	T9MH35D
Match Head Diamond - 4.5 mm	T9MH45D

TT12	Telescoping Tube 12 cm Straight
TT12A	Telescoping Tube 12 cm Angled
TT12C	Telescoping Tube 12 cm Curved
TT12F	Telescoping Tube 12 cm Curved Modified
Ball - 2 mm	T12BA20
Ball Diamond - 2 mm	T12BA20D
Ball Diamond - 3 mm	T12BA30D
Match Head - 1.5 mm	T12MH15
Match Head - 2 mm	T12MH20
Match Head - 2.5 mm	T12MH25
Match Head Diamond - 2 mm	T12MH20D
Match Head Diamond - 2.5 mm	T12MH25D
Match Head Diamond - 3 mm	T12MH30D
Match Head Diamond - 3.5 mm	T12MH35D
Match Head Diamond - 4.5 mm	T12MH45D

TT14A	Telescoping Tube -14 cm Angled
Ball - 2 mm	T14BA20
Ball - 3 mm	T14BA30
Ball - 4 mm	T14BA40
Match Head - 2.5 mm	T14MH25
Match Head Diamond - 3 mm	T14MH30D

TT15	Telescoping Tube 15 cm Straight
TT15H	Telescoping Tube 15 cm Straight Hooded
Match Head - 2.5 mm	T15MH25
Match Head Diamond - 3 mm	T15MH30D

TT17	Telescoping Tube 17 cm Straight
Match Head Diamond - 3 mm	T17MH30D

TT18	Telescoping Tube 18 cm Straight
TT18H	Telescoping Tube 18 cm Straight Hooded
Match Head - 2.5 mm	T18MH25
Match Head Diamond - 3 mm	T18MH30D

ASMC	METAL CUTTING
Carbide - 1.6 mm	MC16
Carbide - 3.0 mm	MC30
Wheel - 25.4 mm	MC254

AC16	CONTRA ANGLED
Tapered - 1.1 mm	16TA11
Tapered - 1.3 mm	16TA13
Tapered - 1.5 mm	16TA15
Tapered - 1.7 mm	16TA17
Tapered - 2.3 mm	16TA23
Tapered Wire Pass - 2.4 mm	16TA24
Match Head - 1.8 mm	16MH18
Match Head Long - 1.8 mm	16MH18L
Match Head - 2.2 mm	16MH22

# Legend® Ball - Fluted



Tools

TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH							
		7 cm small bore	9 cm large bore	10 cm small bore	12 cm small bore	14 cm large bore	15 cm small bore	21 cm large bore	26 cm large bore
	0.5	7BA05							
	1.0	7BA10		10BA10					
	1.5	7BA15							
	2.0	7BA20		10BA20		14BA20			
	2.5	7BA25				14BA25			
	3.0	7BA30	9BA30	10BA30	12BA30	14BA30			
	4.0	7BA40	9BA40	10BA40	12BA40	14BA40	15BA40		26BA40
	5.0	7BA50	9BA50	10BA50	12BA50	14BA50	15BA50	21BA50	
	6.0	7BA60	9BA60	10BA60	12BA60	14BA60	15BA60	21BA60	26BA60
	7.5		9BA75			14BA75		21BA75	26BA75
	9.0		9BA90			14BA90		21BA90	26BA90
ATTACHMENT		AS07 AA07 AVS07 AVA07	AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS12S AVS12 AVA12	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AS21	AS26

# Legend® Ball - Diamond



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH						
		7 cm small bore	9 cm large bore	10 cm small bore	12 m small bore	14 cm large bore	15 cm small bore	26 cm large bore
	1.0	7BA10D		10BA10D				
	1.5	7BA15D						
	2.0	7BA20D		10BA20D				
	2.5	7BA25D				14BA25D		
	3.0	7BA30D	9BA30D	10BA30D	12BA30D	14BA30D		
	4.0	7BA40D	9BA40D	10BA40D	12BA40D	14BA40D	15BA40D	26BA40D
	5.0	7BA50D	9BA50D	10BA50D	12BA50D	14BA50D	15BA50D	
	6.0	7BA60D	9BA60D	10BA60D	12BA60D	14BA60D	15BA60D	
	7.5		9BA75D			14BA75D		
<b>ATTACHMENT</b>		AS07 AA07 AVS07 AVA07	AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AVS12 AS12S AVA12	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AS26

# Legend® Ball - Diamond Coarse



Tools

TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH		
		9 cm large bore	10 cm small bore	14 cm large bore
	3.0	9BA30DC	10BA30DC	14BA30DC
	4.0	9BA40DC	10BA40DC	14BA40DC
	5.0	9BA50DC	10BA50DC	14BA50DC
	6.0	9BA60DC		14BA60DC
ATTACHMENT		AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS14 AS14S AA14 AA14S AVS14 AVA14




# Legend® Ball - Diamond Extra Coarse



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH						
		9 cm large bore	10 cm small bore	12 cm small bore	14 cm large bore	15 cm small bore	21 cm large bore	26 cm large bore
	4.0	9BA40DX	10BA40DX	12BA40DX	14BA40DX	15BA40DX		
	5.0	9BA50DX	10BA50DX		14BA50DX		21BA50DX	26BA50DX
	6.0	9BA60DX	10BA60DX	12BA60DX	14BA60DX			
	7.0				14BA70DX		21BA70DX	26BA70DX
	8.0				14BA80DX			
ATTACHMENT		AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AVS12 AS12S AVA12	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AS21	AS26

# Legend® Match Head - Fluted






TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH								
			8 cm small bore	9 cm large bore	10 cm small bore	12 cm small bore	14 cm large bore	15 cm small bore	16 cm	21 cm large bore	26 cm large bore
	1.7	2.4	8MH17		10MH17				15MH17		
	1.8	2.4							16MH18 16MH18L		
	2.2	3.8	8MH22		10MH22	12MH22			15MH22	16MH22	
	3.0	3.8		9MH30	10MH30 10MH30L	12MH30	14MH30				21MH30 26MH30
ATTACHMENT			AS08 AVS08	AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AVS12 AS12S AVA12	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AC16	AS21	AS26

Tools


# Legend® Match Head - Diamond



TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH							
			8 cm small bore	9 cm large bore	10 cm small bore	12 cm small bore	14 cm large bore	15 cm small bore		
	1.7	2.7	8MH17D		10MH17D				15MH17D	
	2.2	4.0	8MH22D		10MH22D					
	3.0	4.1		9MH30D		12MH30D	14MH30D		15MH30D	
ATTACHMENT			AS08 AVS08	AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS12S AVS12 AVA12	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15		

# Legend® Match Head - Diamond Coarse



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	SHAFT LENGTH		
			9 cm large bore	10 cm small bore	14 cm large bore
	3.0	4.3	9MH30DC	10MH30DC	14MH30DC
ATTACHMENT			AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS14 AS14S AA14 AA14S AVS14 AVA14










# Legend® Tapered



15TA23L



9TA30

TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH							
			8 cm small bore	9 cm large bore	10 cm small bore	14 cm large bore	15 cm small bore	16 cm	21 cm large bore	26 cm large bore
	1.1	6.4	8TA11						16TA11	
	1.3	7.7							16TA13	
	1.5	11.1							16TA15	
	1.7	15.8	8TA17						16TA17	
	2.3	15.9			10TA23		15TA23	16TA23		
	2.3	22.0					15TA23L			
	2.4	5.5						16TA24		
	3.0	35.1		9TA30		14TA30			21TA30	26TA30
	3.1	19.1				14TA31				
ATTACHMENT			AS08 AVS08	AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AC16	AS21	AS26



# Legend® Tapered - Footed



F2/8TA23S




F3/9TA30

TOOL TYPE	Head Diameter (mm)	Head Length (mm)	SHAFT LENGTH	
			8 cm small bore	9 cm large bore
	1.5	11.1	F1/8TA15	
	1.5	13.1	F1/8TA15S	
	2.3	15.9	F2/8TA23	
	2.3	16.4	F2/8TA23S	
	3.0	25.4		F3/9TA30
ATTACHMENT			AS08 AVS08	AS09 AS09S AA09S AVS09 AVA09

Circle indicates other compatible attachments:


● AF01 & AF01R ● AF02 & AF02R ● AF03





# Legend® Tapered - Reverse Taper



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	SHAFT LENGTH
			7 cm large bore
	6.4	6.1	14RT64
ATTACHMENT			AS14 AS14S AA14 AA14S AVS14 AVA14



# Legend® Acorn - Fluted



TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH						
			8 cm small bore	9 cm large bore	10 cm small bore	14 cm large bore	15 cm small bore	21 cm large bore	26 cm large bore
	5.0	7.0	8AC50	9AC50	10AC50	14AC50	15AC50		
	6.0	7.7	8AC60	9AC60	10AC60	14AC60	15AC60	21AC60	26AC60
	7.5	9.4		9AC75		14AC75		21AC75	26AC75
	9.0	11.4		9AC90		14AC90		21AC90	26AC90
ATTACHMENT			AS08 AVS08	AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AS21	AS26

# Legend® Oval



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	SHAFT LENGTH		
			9 cm large bore	10 cm small bore	14 cm large bore
	4.0	6.4		10OV40	
	5.5	8.7	9OV55		14OV55
ATTACHMENT			AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS14 AS14S AA14 AA14S AVS14 AVA14


# Legend® Cylinder - Fluted



14CY50B




14CY76L



9CY75

TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH					
			9 cm large bore	10 cm small bore	14 cm large bore	15 cm small bore	21 cm large bore	26 cm large bore
	4.0	6.2		10CY40				
	5.0	7.9	9CY50	10CY50	14CY50	15CY50		
	5.0	16.1			14CY50B			
	5.0	16.1		10CY50L	14CY50L	15CY50L		
	6.0	7.9	9CY60	10CY60	14CY60	15CY60		
	7.5	7.9	9CY75		14CY75			26CY75
	7.6	28.3			14CY76L			
	9.0	7.9			14CY90		21CY90	26CY90
ATTACHMENT			AS09 AS09S AA09S AVS09 AVA09	AS10 AS10S AA10 AA10S AVS10 AVA10	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AS21	AS26

## Legend® Cylinder - Diamond Extra Coarse



TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH			
			10 cm small bore	14 cm large bore	15 cm small bore	21 cm large bore
	6.5	9.8	10CY65DX	14CY65DX	15CY65DX	21CY65DX
ATTACHMENT			AS10 AS10S AA10 AA10S AVS10 AVA10	AS14 AS14S AA14 AA14S AVS14 AVA14	AS15 AA15 AVS15 AVA15	AS21

## Legend® Cylinder Barrel



TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH
			10 cm small bore
	4.0	11.3	10CY40BR
	5.0	11.3	10CY50BR
	6.0	11.3	10CY60BR

ATTACHMENT

AS10  
AS10S  
AA10  
AA10S  
AVS10  
AVA10

# Legend® Twist Drill



TOOL TYPE	Head Diameter (mm)	Stop Depth (mm)	SHAFT LENGTH
			8 cm small bore
	0.8	4.0	8TD084
	1.0	4.0	8TD104
	1.1	4.0	8TD114
	1.1	6.0	8TD116
	1.2	4.0	8TD124
	1.2	6.0	8TD126
	1.3	4.0	8TD134
	1.3	6.0	8TD136
	1.5	4.0	8TD154
	1.5	6.0	8TD156
	1.5	8.0	8TD158
	1.7	4.0	8TD174
	1.7	6.0	8TD176
	1.7	8.0	8TD178
	2.0	4.0	8TD204
	2.0	6.0	8TD206
	2.0	8.0	8TD208


ATTACHMENT

AS08  
AVS08




# Legend® Metal Cutter



MC30



MC254



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	
	1.6	6.4	MC16
	3.0	18.3	MC30
	25.4	0.8	MC254

ATTACHMENT

ASMC

# Legend® Hole Saw







TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH	
			9 cm large bore	
	10.8	24.1	9HS108	
	13.5	24.1	9HS135	

ATTACHMENT

AS09  
AS09S  
AA09S  
AVS09  
AVA09

# Legend® Hole Maker



TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH	
			9 cm large bore	14 cm large bore
	9.5	10.4	9HM95	14HM95
	10.0	10.4	9HM100	
	12.6	10.4	9HM126	14HM126

ATTACHMENT

AS09  
AS09S  
AA09S  
AVS09  
AVA09  
AS14  
AS14S  
AA14  
AA14S  
AVS14  
AVS14S  
AVA14

# Legend® Telescoping - Match Head



Tools

TOOL TYPE	Head Diameter (mm)	Head Length (mm)	SHAFT LENGTH				
			9 cm	12 cm	14 cm	15 cm	18 cm
	1.5	2.2	T9MH15	T12MH15			
	2.0	3.1	T9MH20	T12MH20			
	2.5	3.6	T9MH25	T12MH25	T14MH25	T15MH25	T18MH25
ATTACHMENT			TT9 TT9C	TT12 TT12A TT12C TT12F	TT14A	TT15 TT15H	TT18 TT18H

# Legend® Telescoping - Match Head Diamond



TOOL TYPE	Head Dia. (mm)	Head Length (mm)	SHAFT LENGTH					
			9 cm	12 cm	14 cm	15 cm	17 cm	18 cm
	2.0	3.1		T12MH20D				
	2.5	3.6	T9MH25D	T12MH25D				
	3.0	3.8	T9MH30D	T12MH30D	T14MH30D	T15MH30D	T17MH30D	T18MH30D
	3.5	4.3	T9MH35D	T12MH35D				
	4.5	5.3	T9MH45D	T12MH45D				
ATTACHMENT			TT9 TT9C	TT12 TT12A TT12C TT12F	TT14A	TT15 TT15H	TT17	TT18 TT18H

## Legend Telescoping - Ball



TOOL TYPE	Head Dia. (mm)	SHAFT LENGTH	
		12 cm	14 cm
	2.0	T12BA20	T14BA20
	3.0		T14BA30
	4.0		T14BA40
ATTACHMENT		TT12 TT12A TT12C TT12F	TT14A

## Legend Telescoping - Ball Diamond



TOOL TYPE	Head Dia. (mm)	SHAFT LENGTH
		12 cm
	2.0	T12BA20D
	3.0	T12BA30D
ATTACHMENT		TT12 TT12A TT12C TT12F

Tools

## Curved Burs - Fluted



TOOL TYPE	Head Dia. (mm)	SHAFT LENGTH	
		9 cm	11 cm
	1.0	CB09BA10	CB11BA10
	2.0	CB09BA20	CB11BA20
	3.0	CB09BA30	CB11BA30
	4.0	CB09BA40	CB11BA40
ATTACHMENT		AT10	

## Curved Burs - Diamond



TOOL TYPE	Head Dia. (mm)	SHAFT LENGTH	
		9 cm	11 cm
	1.0	CB09BA10D	CB11BA10D
	2.0	CB09BA20D	CB11BA20D
	3.0	CB09BA30D	CB11BA30D
	4.0	CB09BA40D	CB11BA40D
ATTACHMENT		AT10	

## MedNext® Tools

The tools identified as MedNext® type tools were adopted into the Midas Rex Legend series from our MedNext product offering. They feature variations on both the cutting surfaces and tool exposure lengths.

## Legend® Ball - Fluted (MedNext® type)



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH	
		7 cm small bore	10 cm small bore
	0.5	7BA05-MN	
	1.0	7BA10-MN	10BA10-MN
	1.5	7BA15-MN	
	2.0	7BA20-MN	10BA20-MN
	2.5	7BA25-MN	
	3.0	7BA30-MN	10BA30-MN
	4.0	7BA40-MN	10BA40-MN
	5.0	7BA50-MN	10BA50-MN
	6.0	7BA60-MN	10BA60-MN
	7.0	7BA70-MN	
	8.0	7BA80-MN	
ATTACHMENT		AS07 AA07 AVS07 AVA07	AS10 AS10S AA10 AA10S AVS10 AVA10



## Legend® Ball - Fluted Carbide (MedNext® type)



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH
		7 cm small bore
	1.0	7BA10C-MN
	2.0	7BA20C-MN
	3.0	7BA30C-MN
	4.0	7BA40C-MN

ATTACHMENT

AS07  
AA07  
AVS07  
AVA07

TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH
		7 cm small bore
	5.0	7BA50C-MN
	6.0	7BA60C-MN
	7.0	7BA70C-MN
	8.0	7BA80C-MN

ATTACHMENT

AS07  
AA07  
AVS07  
AVA07

## Legend® Ball - Diamond (MedNext® type)



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH	
		7 cm small bore	10 cm small bore
	1.0	7BA10D-MN	10BA10D-MN
	1.5	7BA15D-MN	
	2.0	7BA20D-MN	10BA20D-MN
	2.5	7BA25D-MN	
	3.0	7BA30D-MN	10BA30D-MN
	4.0	7BA40D-MN	10BA40D-MN
	5.0	7BA50D-MN	10BA50D-MN
	6.0	7BA60D-MN	10BA60D-MN
	7.0	7BA70D-MN	
	8.0	7BA80D-MN	

ATTACHMENT

AS07  
AA07  
AVS07  
AVA07

AS10  
AS10S  
AA10  
AA10S  
AVS10  
AVA10

## Legend Ball® - Fluted, Long (MedNext® type)



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH
		7 cm small bore
	0.5	7BA05L-MN
	1.0	7BA10L-MN
	2.0	7BA20L-MN
	3.0	7BA30L-MN
ATTACHMENT		AS07 AA07 AVS07 AVA07

## Legend® Ball - Fine (MedNext® type)



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH
		7 cm small bore
	4.0	7BA40F-MN
	5.0	7BA50F-MN
	6.0	7BA60F-MN
ATTACHMENT		AS07 AA07 AVS07 AVA07

## Legend® Ball - Diamond, Long (MedNext® type)



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH
		7 cm small bore
	1.0	7BA10DL-MN
	1.5	7BA15DL-MN
	2.0	7BA20DL-MN
	3.0	7BA30DL-MN
ATTACHMENT		AS07 AA07 AVS07 AVA07

## Legend® Ball - Diamond Coarse (MedNext® type)



TOOL TYPE	Head Diameter (mm)	SHAFT LENGTH
		7 cm small bore
	2.0	7BA20DC-MN
	3.0	7BA30DC-MN
	4.0	7BA40DC-MN
	5.0	7BA50DC-MN
	6.0	7BA60DC-MN
ATTACHMENT		AS07 AA07 AVS07 AVA07



# Legend® Match Head (MedNext® type)



10MH30-MN



10MH30D-MN


TOOL TYPE	Head Diameter (mm)	Head Length (mm)	SHAFT LENGTH
			10 cm small bore
	3.0	3.8	10MH30-MN
	3.0	4.1	10MH30D-MN

ATTACHMENT

AS10  
AS10S  
AA10  
AA10S  
AVS10  
AVA10

# Legend® Acorn - Fluted (MedNext® type)




TOOL TYPE	Head Diameter (mm)	Head Length (mm)	SHAFT LENGTH
			7 cm small bore
	6.0	7.7	7AC60-MN

ATTACHMENT

AS07  
AA07  
AVS07  
AVA07

## Also Available



### Midas Rex® Spine Shaver Nucleus Removal Set

Using patented Medtronic shaver technology, the Midas Rex Spine Shaver offers power, performance, and versatility for minimally invasive and open spinal procedures. Multiple blade options provide procedural flexibility for tissue removal.

#### System Components

ED100	SC1 Spine Shaver Handpiece
EC300	Integrated Power Console (IPC™)
EF200	Footswitch
EDT200	SC1 Instrument Tray
40RAD40	4.0 mm Spine Shaver Adjustment Tool
40RAD45	4.5 mm Spine Shaver Adjustment tool

#### Blade Sets (Includes one straight and one 25° angled blade)

40R2000	4.0 mm x 20 cm Set
40R2500	4.0 mm x 25 cm Set
45R2000	4.5 mm x 20 cm Set
45R2500	4.5 mm x 25 cm Set

#### Single Blades

40A2000	4.0 mm x 20 cm Blade, Angled 25°
40S2000	4.0 mm x 20 cm Blade, Straight
40A2500	4.0 mm x 25 cm Blade, Angled 25°
40S2500	4.0 mm x 25 cm Blade, Straight
45A2000	4.5 mm x 20 cm Blade, Angled 25°
45S2000	4.5 mm x 20 cm Blade, Straight
45A2500	4.5 mm x 25 cm Blade, Angled 25°
45S2500	4.5 mm x 25 cm Blade, Straight

**MANUFACTURED BY:**  
**Medtronic Powered Surgical Solutions**  
 4620 North Beach Street  
 Fort Worth, TX 76137  
 USA  
[www.medtronic.com](http://www.medtronic.com)

**AUTHORIZED REPRESENTATIVE IN EU:**  
**Medtronic® B.V.**  
 Earl Bakkenstraat 10, 6422 PJ Heerlen  
 The Netherlands

**ORDERS:**  
**Customer Service**  
 1-800-433-7080  
 FAX: 800-468-9713

**REPAIRS:**  
**Repair Department**  
 1-800-335-9557  
 817-788-6440  
 FAX: 817-788-6441

#### International Telephone Numbers

Adriatic Regional Office	385-1-488-1120	Italy	39-02-24137-324
Australia	1800-668-670	Japan	81-3-6430-2017
Baltic Regional Office	37-1-67560226	Korea	82-2-3404-3600
Belgium	32-2456-09-09	Lebanon	961-1-370-670
Canada	1800-217-1617	Luxembourg	32-2456-09-09
China	86-21-50800998	Netherlands	31-45-566-8800
Czech Republic	420-2-9657-9580	Poland	48-22-465-6942
France	33-155-381-700	Portugal	351-21-724-51-28
Germany	49-2159-8149-209	Russian Federation	7-495-580-73 77
Greece	30-210-67-79-099	South Africa	27-11-466-1820
Hong Kong	852-2919-1312	Spain	34-91-625-05-40
Hungary	36-30-5052987	Taiwan	886-2-2183-6000
India	91-22-26836733	UK	44-1923-205-168
Israel	972-9-972-4400	USA	1-817-788-6400

## Bone Mills

- Controlled, precise method to morselize bone
- Produces homogenous particulate sizes
- Maximizes processed bone yield
- Works with Autograft and/or Allograft
- Allows addition of bone additives during processing
- No gears or cutting blades to remove for cleaning and reinstallation
- Reusable, autoclavable base with disposable bowl enables easy transfer of sterile specimens

### Midas Rex® Electric Bone Mill System

- Stand-alone system

BM110	Midas Rex® Bone Mill Base
BM120	Midas Rex Bone Mill Console
BM130	Midas Rex Bone Mill Instrument Tray
BM210	Midas Rex Dual Blade Disposable and Spatula
EA600	North American 110 VAC Power Supply Cord



### Legend® Pneumatic Bone Mill

BM100	Legend Pneumatic Bone Mill
BM200	Legend Bone Mill Disposable Bowl and Spatula



LIT250014EN.R2

Federal law (USA) restricts this device for sale by or on the order of a physician. Patents pending. © 2010, Medtronic, Inc. All rights reserved. \*Registered marks of Medtronic, Inc. Printed in USA. \*\*Registered mark of Medtronic PS Medical, Inc. Jacobs® is a registered trademark of Powered Tool Holders, Inc. Midas Rex Spine Shaver and Electric Bone Mill System are manufactured by Medtronic ENT.